

## DAFTAR PUSTAKA

- [1] S. R. Flaxman *et al.*, “Global causes of blindness and distance vision impairment 1990–2020: a systematic review and meta-analysis,” *Lancet Glob Health*, vol. 5, no. 12, pp. e1221–e1234, Dec. 2017, doi: 10.1016/S2214-109X(17)30393-5.
- [2] W. R. on Vision. G. W. World Health Organization, “World report on vision,” 2019.
- [3] B. P. dan P. K. Kementrian Kesehatan RI, “Hasil Utama RISKESDAS 2018,” 2018.
- [4] Perdami, “About Perdami,” <https://perdami.or.id/web/perdami/1>.
- [5] J. D. Häner *et al.*, “Impact of Intracoronary Optical Coherence Tomography in Routine Clinical Practice: A Contemporary Cohort Study,” *Cardiovascular Revascularization Medicine*, vol. 38, pp. 96–103, May 2022, doi: 10.1016/j.carrev.2021.07.024.
- [6] J. De Fauw *et al.*, “Clinically applicable deep learning for diagnosis and referral in retinal disease,” *Nat Med*, vol. 24, no. 9, pp. 1342–1350, Sep. 2018, doi: 10.1038/s41591-018-0107-6.
- [7] U. Schmidt-Erfurth *et al.*, “Disease activity and therapeutic response to pegcetacoplan for geographic atrophy identified by deep learning-based analysis of OCT,” *Ophthalmology*, Feb. 2024, doi: 10.1016/j.ophtha.2024.08.017.
- [8] J. Yoon *et al.*, “Optical coherence tomography-based deep-learning model for detecting central serous chorioretinopathy,” *Sci Rep*, vol. 10, no. 1, Dec. 2020, doi: 10.1038/s41598-020-75816-w.
- [9] M. Tan and Q. V. Le, “EfficientNetV2: Smaller Models and Faster Training,” Apr. 2021, [Online]. Available: <http://arxiv.org/abs/2104.00298>
- [10] M. A. K. Raiaan *et al.*, “A systematic review of hyperparameter optimization techniques in Convolutional Neural Networks,” Jun. 01, 2024, *Elsevier Inc.* doi: 10.1016/j.dajour.2024.100470,
- [11] A. Miladinović *et al.*, “Evaluating deep learning models for classifying OCT images with limited data and noisy labels,” *Sci Rep*, vol. 14, no. 1, Dec. 2024, doi: 10.1038/s41598-024-81127-1.
- [12] G. Kaur and S. Singh, “Revisiting vision-based violence detection in videos: A critical analysis,” Sep. 07, 2024, *Elsevier B.V.* doi: 10.1016/j.neucom.2024.128113.
- [13] Y. Sun, Z. Sun, and W. Chen, “The evolution of object detection methods,” Jul. 01, 2024, *Elsevier Ltd.* doi: 10.1016/j.engappai.2024.108458.

- [14] J. Yang *et al.*, “Optimizing diabetic retinopathy detection with inception-V4 and dynamic version of snow leopard optimization algorithm,” *Biomed Signal Process Control*, vol. 96, Oct. 2024, doi: 10.1016/j.bspc.2024.106501.
- [15] J. Ma, D. Kong, F. Wu, L. Bao, J. Yuan, and Y. Liu, “Densely connected convolutional networks for ultrasound image based lesion segmentation,” *Comput Biol Med*, vol. 168, Jan. 2024, doi: 10.1016/j.compbiomed.2023.107725.
- [16] S. Doerrich, F. Di Salvo, J. Brockmann, and C. Ledig, “Rethinking model prototyping through the MedMNIST+ dataset collection,” *Sci Rep*, vol. 15, no. 1, p. 7669, Mar. 2025, doi: 10.1038/s41598-025-92156-9.
- [17] F. Celik, K. Celik, and A. Celik, “Enhancing brain tumor classification through ensemble attention mechanism,” *Sci Rep*, vol. 14, no. 1, p. 22260, Dec. 2024, doi: 10.1038/s41598-024-73803-z.
- [18] M. Wojciuk, Z. Swiderska-Chadaj, K. Siwek, and A. Gertych, “Improving classification accuracy of fine-tuned CNN models: Impact of hyperparameter optimization,” *Heliyon*, vol. 10, no. 5, Mar. 2024, doi: 10.1016/j.heliyon.2024.e26586.
- [19] W. Hussain *et al.*, “Ensemble genetic and CNN model-based image classification by enhancing hyperparameter tuning,” *Sci Rep*, vol. 15, no. 1, Dec. 2025, doi: 10.1038/s41598-024-76178-3.
- [20] M. Xu, S. Yoon, A. Fuentes, and D. S. Park, “A Comprehensive Survey of Image Augmentation Techniques for Deep Learning,” *Pattern Recognit*, vol. 137, May 2023, doi: 10.1016/j.patcog.2023.109347.
- [21] N. Uddin, M. S. Mia, M. N. Uddin, and P. Mahmud, “A Novel Deep Ensemble Learning Approach to Predict Eye Diseases from OCT Images,” in *2023 5th International Conference on Sustainable Technologies for Industry 5.0, STI 2023*, Institute of Electrical and Electronics Engineers Inc., 2023. doi: 10.1109/STI59863.2023.10465048.
- [22] “ENG-Blueprint-for-Digital-Health-Transformation-Strategy-Indonesia 2024”.
- [23] Zhou and Zhi-Hua, “Ensemble Methods: Foundations and Algorithms.”
- [24] N. S. Shaik and T. K. Cherukuri, “Transfer learning based novel ensemble classifier for COVID-19 detection from chest CT-scans,” *Comput Biol Med*, vol. 141, Feb. 2022, doi: 10.1016/j.compbiomed.2021.105127.
- [25] Louis. Owen, *Hyperparameter tuning with Python : boost your machine learning model's performance via hyperparameter tuning*. Packt Publishing Ltd., 2022.
- [26] W. Hussain *et al.*, “Ensemble genetic and CNN model-based image classification by enhancing hyperparameter tuning,” *Sci Rep*, vol. 15, no. 1, Dec. 2025, doi: 10.1038/s41598-024-76178-3.

- [27] L. Toto *et al.*, “A deep learning approach to hard exudates detection and disorganization of retinal inner layers identification on OCT images,” *Sci Rep*, vol. 14, no. 1, Dec. 2024, doi: 10.1038/s41598-024-63844-9.
- [28] M. Rahil, B. N. Anoop, G. N. Girish, A. R. Kothari, S. G. Koolagudi, and J. Rajan, “A Deep Ensemble Learning-Based CNN Architecture for Multiclass Retinal Fluid Segmentation in OCT Images,” *IEEE Access*, vol. 11, pp. 17241–17251, 2023, doi: 10.1109/ACCESS.2023.3244922.
- [29] S. Tzaridis and M. Friedlander, “Optical coherence tomography: when a picture is worth a million words,” *Journal of Clinical Investigation*, Sep. 2023, doi: 10.1172/jci174951.
- [30] A. Mokhtari, B. M. Maris, and P. Fiorini, “A Survey on Optical Coherence Tomography—Technology and Application,” Jan. 01, 2025, *Multidisciplinary Digital Publishing Institute (MDPI)*. doi: 10.3390/bioengineering12010065.
- [31] R. Shwartz-Ziv and N. Tishby, “Opening the Black Box of Deep Neural Networks via Information,” Mar. 2020, [Online]. Available: <http://arxiv.org/abs/1703.00810>
- [32] Z. Li, F. Liu, W. Yang, S. Peng, and J. Zhou, “A Survey of Convolutional Neural Networks: Analysis, Applications, and Prospects,” *IEEE Trans Neural Netw Learn Syst*, vol. 33, no. 12, pp. 6999–7019, Dec. 2022, doi: 10.1109/TNNLS.2021.3084827.
- [33] S. Zdonik *et al.*, “Convolutional Neural Networks for Medical Applications,” 2023.
- [34] A. Meliboev, J. Alikhanov, and W. Kim, “Performance Evaluation of Deep Learning Based Network Intrusion Detection System across Multiple Balanced and Imbalanced Datasets,” *Electronics (Switzerland)*, vol. 11, no. 4, Feb. 2022, doi: 10.3390/electronics11040515.
- [35] C. H. Praharsa and A. Poulose, “CBAM VGG16: An efficient driver distraction classification using CBAM embedded VGG16 architecture,” *Comput Biol Med*, vol. 180, Sep. 2024, doi: 10.1016/j.combiomed.2024.108945.
- [36] G. S. Nijaguna, J. A. Babu, B. D. Parameshachari, R. P. de Prado, and J. Frnda, “Quantum Fruit Fly algorithm and ResNet50-VGG16 for medical diagnosis,” *Appl Soft Comput*, vol. 136, Mar. 2023, doi: 10.1016/j.asoc.2023.110055.
- [37] L. Yin and Y. Sun, “BiLSTM-InceptionV3-Transformer-fully-connected model for short-term wind power forecasting,” *Energy Convers Manag*, vol. 321, Dec. 2024, doi: 10.1016/j.enconman.2024.119094.
- [38] P. R. G. Gajendran, S. Boulaaras, and S. S. Tantawy, “PediaPulmoDx: Harnessing cutting edge preprocessing and explainable AI for pediatric chest X-ray classification with DenseNet121,” *Results in Engineering*, vol. 25, Mar. 2025, doi: 10.1016/j.rineng.2025.104320,

- [39] D. B. Soomro *et al.*, “Automated dual CNN-based feature extraction with SMOTE for imbalanced diabetic retinopathy classification,” *Image Vis Comput*, vol. 159, Jun. 2025, doi: 10.1016/j.imavis.2025.105537.
- [40] S. R. Dubey, S. K. Singh, and B. B. Chaudhuri, “Activation functions in deep learning: A comprehensive survey and benchmark,” Sep. 07, 2022, *Elsevier B.V.* doi: 10.1016/j.neucom.2022.06.111.
- [41] E. Manuylovich, D. Argüello Ron, M. Kamalian-Kopae, and S. K. Turitsyn, “Robust neural networks using stochastic resonance neurons,” *Communications Engineering*, vol. 3, no. 1, Dec. 2024, doi: 10.1038/s44172-024-00314-0,
- [42] P. Hu, L. Sun, C. Hu, L. Dai, S. Guo, and M. Yu, “DReP: Deep ReLU pruning for fast private inference,” *Journal of Systems Architecture*, vol. 152, Jul. 2024, doi: 10.1016/j.sysarc.2024.103156.
- [43] K. Myagila, D. G. Nyambo, and M. A. Dida, “Two stream GRU model with ELU activation function for sign language recognition,” *Intelligent Systems with Applications*, vol. 26, Jun. 2025, doi: 10.1016/j.iswa.2025.200513.
- [44] C. Jia, T. Li, H. Dong, C. Xie, W. Peng, and Y. Ning, “A leading adaptive activation function for deep reinforcement learning,” *J Comput Sci*, vol. 88, Jun. 2025, doi: 10.1016/j.jocs.2025.102608.
- [45] S. Chen, J. Liu, P. Wang, C. Xu, S. Cai, and J. Chu, “Accelerated optimization in deep learning with a proportional-integral-derivative controller,” *Nature Communications*, vol. 15, no. 1, Dec. 2024, doi: 10.1038/s41467-024-54451-3.
- [46] A. Chehouri, R. Younes, A. Ilinca, and J. Perron, “Review of performance optimization techniques applied to wind turbines,” Mar. 05, 2015, *Elsevier Ltd.* doi: 10.1016/j.apenergy.2014.12.043.
- [47] L. F. de J. Silva, O. A. C. Cortes, and J. O. B. Diniz, “A novel ensemble CNN model for COVID-19 classification in computerized tomography scans,” *Results in Control and Optimization*, vol. 11, Jun. 2023, doi: 10.1016/j.rico.2023.100215.
- [48] I. Goodfellow, Y. Bengio, and A. Courville, “Deep Learning.”
- [49] C. Shorten and T. M. Khoshgoftaar, “A survey on Image Data Augmentation for Deep Learning,” *J Big Data*, vol. 6, no. 1, Dec. 2019, doi: 10.1186/s40537-019-0197-0,
- [50] A. Salvadorrgarcíaa, M. R. Prati, and B. Franciscoherrera, “Learning from Imbalanced Data Sets,” 2018.