

## DAFTAR PUSTAKA

- [1] A. El-Deeb, "Major Challenges Currently Facing the Software Industry," *ACM SIGSOFT Software Engineering Newsletter*, vol. 47, no. 3, p. 14, 2022, doi: 10.1145/3539814.3539818.
- [2] A. Safitri, "Tinjauan Sistematis Terhadap Persyaratan Manajemen Perubahan Dalam Proyek Pengembangan Perangkat Lunak," *Journal of Digital Business and Innovation Management*, vol. 1, no. 1, 2022, doi: 10.26740/jdbim.v1i1.48673.
- [3] L. Syahadiyanti, A. Raharja, and Pamudi, "Literature Review: Komunikasi Sebagai Faktor Penting Dalam Pengembangan Perangkat Lunak," *Jurnal Teknologi Technoscientia*, vol. 15, no. 2, p. 24, 2023, doi: 10.34151/technoscientia.v15i2.4261.
- [4] M. F. Takwa, D. S. Rusdianto, and ..., "Pembangunan Kakas Bantu Pembangkitan Kebutuhan Pengguna berdasarkan Model Proses Bisnis," *Jurnal Pengembangan Teknologi Informasi dan Ilmu Komputer*, vol. 3, no. 10, p. 10192, 2019.
- [5] D. Enda and D. Siahaan, "Rekomendasi Perbaikan Pernyataan Kebutuhan yang Rancu dalam Spesifikasi Kebutuhan Perangkat Lunak Menggunakan Teknik Berbasis Aturan," *Jurnal Teknologi Informasi dan Ilmu Komputer*, vol. 5, no. 2, p. abstract, 208, 2018, doi: 10.25126/jtiik.201852627.
- [6] R. Wesley and R. Gunawan, "LITERATUR REVIEW : METODE DEEP LEARNING UNTUK ANALISIS TEKS," *Jurnal Mahasiswa Teknik Informatika*, vol. 8, no. 5, pp. 11020–11021, 2024, doi: 10.36040/jati.v8i5.11780.
- [7] H. S. E. Rahayu, R. Rusdijjati, and K. Wijayanti, "Unimma Work Fatigue Instrument (Uwfi): Sebuah Instrument Baru Untuk Mengukur Kelelahan

- Kerja,” *Journal of Holistic Nursing Science*, vol. 7, no. 1, p. 44, 2020, doi: 10.31603/nursing.v7i1.3051.
- [8] Alfando and R. Hayami, “KLASIFIKASI TEKS BERITA BERBAHASA INDONESIA MENGGUNAKAN MACHINE LEARNING DAN DEEP LEARNING: STUDI LITERATUR Alfando,” *Jurnal Mahasiswa Teknik Informatika*, vol. 7, no. 1, pp. 685–686, 2023, doi: 10.36040/jati.v7i1.6486.
- [9] A. Raup, W. Ridwan, Y. Khoeriyah, S. Supiana, and Q. Y. Zaqiah, “Deep Learning dan Penerapannya dalam Pembelajaran,” *JIIP - Jurnal Ilmiah Ilmu Pendidikan*, vol. 5, no. 9, pp. 3265–3266, 2022, doi: 10.54371/jiip.v5i9.805.
- [10] A. C. Puspitaningrum and E. S. Sintiya, “Teknik Elisitasi Kebutuhan Perangkat Lunak: Literatur Review,” *JUSIFO (Jurnal Sistem Informasi)*, vol. 8, no. 1, pp. 40–41, 2022, doi: 10.19109/jusifo.v8i1.11569.
- [11] L. P. A. S. Tjahyanti and G. R. Utama, “PERAN ANALISIS KEBUTUHAN DALAM MENCIPTAKAN SISTEM INFORMASI YANG RESPONSIF DAN BERKELANJUTAN,” vol. 3, no. 2, p. 3, 2024.
- [12] D. Keylas, D. S. Rusdianto, and E. Santoso, “Pembangunan Kakas Bantu untuk memberikan Rekomendasi Perbaikan Kalimat Kebutuhan yang Ambigu menggunakan Teknik Berbasis Aturan dan Statistik,” *Jurnal Pengembangan Teknologi Informasi dan Ilmu Komputer*, vol. 3, no. 8, p. 7508, 2019.
- [13] C. J. S. Lelywiary, S. Widowati, and K. M. L., “Deteksi Pola Ambiguitas Struktural pada,” vol. 4, no. 3, p. 52, 2019, doi: 10.21108/indojc.2019.4.3.355.
- [14] R. Fitri, S. Subandi, and I. Hastuti, “ANALISIS REKAYASA KEBUTUHAN PERANGKAT LUNAK MENGGUNAKAN SMART REQUIREMENT DALAM MEMBANGUN SISTEM INFORMASI

LOMBA KARYA TULIS ILMIAH POLITEKNIK NEGERI  
BANJARMASIN,” vol. 4, pp. A1–A4, Nov. 2019.

- [15] A. Maulana *et al.*, *REKAYASA PERANGKAT LUNAK: KONSEP, METODE, DAN PRAKTIK TERBAIK*. GET PRESS INDONESIA Anggota IKAPI No. 033/SBA/2022, 2023.
- [16] A. Aulia Aziiza and A. N. Fadhilah, “Analisis Metode Identifikasi dan Verifikasi Kebutuhan Non Fungsional,” *Applied Technology and Computing Science Journal*, vol. 3, no. 1, p. 14, 2020, doi: 10.33086/atcsj.v3i1.1623.
- [17] E. D. Canedo and B. C. Mendes, “Software requirements classification using machine learning algorithms,” *Entropy*, vol. 22, no. 9, Sep. 2020, doi: 10.3390/E22091057.
- [18] E. L. Pratiwi, “Analisis Inkonsistensi Pada Kebutuhan Perangkat Lunak,” *Journal Speed-Sentra Penelitian Engineering dan Edukasi*, vol. 7, no. 4, p. 10, 2015, doi: 10.55181/speed.v7i4.36.
- [19] M. Lima, V. Valle, E. Costa, F. Lira, and B. Gadelha, “Software engineering repositories: Expanding the PROMISE database,” *ACM International Conference Proceeding Series*, p. 431, Sep. 2019, doi: 10.1145/3350768.3350776.
- [20] K. Faturrahman and A. Sucipto, “OPTIMASI RANDOM FOREST DENGAN TEKNIK PRUNING UNTUK PREDIKSI DATA NASABAH BMT AL-HIKMAH PERMATA,” *Jurnal Informatika Teknologi dan Sains*, vol. 6, no. 03, p. 770, Sep. 2024, doi: 10.51401/jinteks.v6i3.4715.
- [21] W. Y. S. S. Y. K. G. Dice Bradley, “Supercharging Deduplication in pandas Using RAPIDS cuDF,” <https://developer.nvidia.com/blog/supercharging-deduplication-in-pandas-using-rapids-cudf/>. Accessed: May 30, 2025. [Online]. Available: <https://developer.nvidia.com/blog/supercharging-deduplication-in-pandas-using-rapids-cudf/>

- [22] I. A. Rahma and L. H. Suadaa, "PENERAPAN TEXT AUGMENTATION UNTUK MENGATASI DATA YANG TIDAK SEIMBANG PADA KLASIFIKASI TEKS BERBAHASA INDONESIA STUDI KASUS: DETEKSI JUDUL CLICKBAIT DAN KOMENTAR HATE SPEECH PADA BERITA ONLINE," *Jurnal Teknologi Informasi dan Ilmu Komputer*, vol. 10, no. 6, p. 1333, Dec. 2023, doi: 10.25126/jtiik.2023107325.
- [23] C. Tony, N. E. D. Ferreyra, M. Mutas, S. Dhiff, and R. Scandariato, "Prompting Techniques for Secure Code Generation: A Systematic Investigation," Jul. 2024, [Online]. Available: <http://arxiv.org/abs/2407.07064>
- [24] P. L. Romadloni, B. A. Kusuma, and W. M. Baihaqi, "KOMPARASI METODE PEMBELAJARAN MESIN UNTUK IMPLEMENTASI PENGAMBILAN KEPUTUSAN DALAM MENENTUKAN PROMOSI JABATAN KARYAWAN," *Jurnal Mahasiswa Teknik Informatika*, vol. 6, no. 2, pp. 623–624, 2022, doi: 10.36040/jati.v6i2.5238.
- [25] K. Rahman, A. Ghani, S. Misra, and A. U. Rahman, "A deep learning framework for non-functional requirement classification," *Sci Rep*, vol. 14, no. 1, Dec. 2024, doi: 10.1038/s41598-024-52802-0.
- [26] H. Xu and G. Xu, "Applying the Bert Algorithm for Software Requirements Classification," pp. 1–25, 2024, doi: 10.13140/RG.2.2.33317.68320.
- [27] M. Binkhonain and L. Zhao, "Multiclass Classification of Software Requirements with Imbalanced, High Dimensional and Low Data Sample," *SSRN*, Sep. 2022, doi: 10.2139/ssrn.4233027.
- [28] N. Rahimi, F. Eassa, and L. Elrefaei, "One- and Two-Phase Software Requirement Classification Using Ensemble Deep Learning," *Entropy*, vol. 23, no. 1264, pp. 1–30, 2021, doi: 10.3390/e23101264.

- [29] T. Hey, J. Keim, A. Koziolk, and W. F. Tichy, "NoRBERT: Transfer Learning for Requirements Classification," *Proceedings of the IEEE International Conference on Requirements Engineering*, vol. 2020-August, pp. 169–179, Aug. 2020, doi: 10.1109/RE48521.2020.00028.
- [30] C. Baker, L. Deng, S. Chakraborty, and J. Dehlinger, "Automatic multi-class non-functional software requirements classification using neural networks," *Proceedings - International Computer Software and Applications Conference*, vol. 2, pp. 610–615, 2019, doi: 10.1109/COMPSAC.2019.10275.
- [31] D. Khurana, A. Koli, K. Khatter, and S. Singh, "Natural Language Processing: State of The Art, Current Trends and Challenges," *Multimed Tools Appl*, vol. 82, no. 3, pp. 3713–3744, 2023, doi: 10.1007/s11042-022-13428-4.
- [32] Q. Li *et al.*, "A Survey on Text Classification: From Traditional to Deep Learning," *ACM Trans. Intell. Syst. Technol*, vol. 37, no. 4, pp. 111:2-111:4, 2021, doi: 10.48550/arXiv.2008.00364.
- [33] J. Devlin, M.-W. Chang, K. Lee, and K. Toutanova, "BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding," pp. 1–4, Oct. 2018, [Online]. Available: <http://arxiv.org/abs/1810.04805>
- [34] B. Pannicke, T. Kaiser, J. Reichenberger, and J. Blechert, "Networks of stress, affect and eating behaviour: anticipated stress coping predicts goal-congruent eating in young adults," *International Journal of Behavioral Nutrition and Physical Activity*, vol. 18, no. 1, p. 3, Dec. 2021, doi: 10.1186/s12966-020-01066-8.
- [35] B. P. Kumar, M. S. Ahmed, and M. Sadanandam, "DistilBERT: A Novel Approach to Detect Text Generated by Large Language Models (LLM)," *Res Sq*, pp. 3–4, Feb. 2024, doi: 10.21203/rs.3.rs-3909387/v1.

- [36] B. P. Kumar, M. S. Ahmed, and M. Sadanandam, "DistilBERT: A Novel Approach to Detect Text Generated by Large Language Models (LLM)," *Res Sq*, p. 3, Feb. 2024, doi: 10.21203/rs.3.rs-3909387/v1.
- [37] T. Sahmoud and M. A. Mikki, "Spam Detection Using BERT," 2022. doi: 10.48550/arXiv.2206.02443.
- [38] T. Sahmoud and M. Mikki, "Spam Detection Using BERT," 2022, doi: 10.48550/arXiv.2206.02443.
- [39] A. C. Gutierrez-Choque, V. Medina-Mamani, E. Castro-Gutierrez, R. Núñez-Pacheco, and I. Aguaded, "Transformer based Model for Coherence Evaluation of Scientific Abstracts: Second Fine-tuned BERT," *International Journal of Advanced Computer Science and Applications*, vol. 13, no. 5, pp. 933–934, 2022, doi: 10.14569/IJACSA.2022.01305105.
- [40] eric-urban, v-alje, aahill, P. sdgilley, ssalgadodev, S. prmerger-automator[bot], sydneyemayers, A. A. challenp, emerasm1, T. alexravenna mrbullwinkle, "Azure OpenAI in Azure AI Foundry Models," <https://learn.microsoft.com/en-us/azure/ai-services/openai/concepts/models?tabs=global-standard%2Cstandard-chat-completions>. Accessed: May 31, 2025. [Online]. Available: <https://learn.microsoft.com/en-us/azure/ai-services/openai/concepts/models?tabs=global-standard%2Cstandard-chat-completions>
- [41] Y. X. Wang, R. Girshick, M. Hebert, and B. Hariharan, "Low-Shot Learning from Imaginary Data," in *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, IEEE Computer Society, Dec. 2018, pp. 7278–7286. doi: 10.1109/CVPR.2018.00760.
- [42] T. Cao, M. Law, and S. Fidler, "A Theoretical Analysis of the Number of Shots in Few-Shot Learning," *Conference paper at ICLR*, Sep. 2020, [Online]. Available: <http://arxiv.org/abs/1909.11722>

- [43] S. Kakarla, C. Borchers, D. Thomas, S. Bhushan, and K. R. Koedinger, "Comparing Few-Shot Prompting of GPT-4 LLMs with BERT Classifiers for Open-Response Assessment in Tutor Equity Training," *Proc Mach Learn Res*, p. 3, Jan. 2025, [Online]. Available: <http://arxiv.org/abs/2501.06658>
- [44] X. Yu, H. Arnold, B. Su, and E. Blanco, "Measuring and Forecasting Conversation Incivility: the Role of Antisocial and Prosocial Behaviors," Dec. 2024, [Online]. Available: <http://arxiv.org/abs/2412.02911>
- [45] C. M. J. Mauck, "Ensuring Reliable Few-Shot Prompt Selection for LLMs," <https://cleanlab.ai/blog/reliable-fewshot-prompts/>. Accessed: Jun. 04, 2025. [Online]. Available: <https://cleanlab.ai/blog/reliable-fewshot-prompts/>
- [46] X. Yu, H. Arnold, B. Su, and E. Blanco, "Measuring and Forecasting Conversation Incivility: the Role of Antisocial and Prosocial Behaviors," Dec. 2024, [Online]. Available: <http://arxiv.org/abs/2412.02911>
- [47] S. Clara, D. L. Prianto, R. Al Habsi, E. F. Lumbantobing, and N. Chamidah, "Implementasi Seleksi Fitur Pada Algoritma Klasifikasi Machine Learning Untuk Prediksi Penghasilan Pada Adult Income Dataset," *Seminar Nasional Mahasiswa Ilmu Komputer dan Aplikasinya (SENAMIKA) Jakarta-Indonesia*, pp. 744–745, 2021, Accessed: Jun. 01, 2025. [Online]. Available: <https://conference.upnvj.ac.id/index.php/senamika/article/view/1417>
- [48] T. R. M. Fitrah, Y. Nurdin, and R. Roslidar, "Rancang Bangun Pengembangan Pintu Otomatis Pendeteksi Masker dan Suhu Tubuh Menggunakan Raspberry Pi 4," *Jurnal Komputer, Informasi Teknologi, dan Elektro*, vol. 6, no. 2, 2021, doi: 10.24815/kitektro.v6i2.21428.
- [49] Fitrah Teuku Radhi Muhammad, Y. Nurdin, and R. Roslidar, "Rancang Bangun Pengembangan Pintu Otomatis Pendeteksi Masker dan Suhu Tubuh Menggunakan Raspberry Pi 4," *Jurnal Komputer, Informasi Teknologi, dan*

*Elektro (KITEKTRO)*, vol. 6, no. 2, p. 9, 2021, doi:  
10.24815/kitektro.v6i2.21428.

- [50] Helsinki-NLP, “Opus-MT: Tools and resources for open translation services,” <https://github.com/Helsinki-NLP/Opus-MT>. Accessed: Jun. 02, 2025. [Online]. Available: <https://github.com/Helsinki-NLP/Opus-MT>
- [51] Federal University of Maranhão, “Promise+: A dataset of labeled software requirements,” Zenodo. Accessed: Apr. 07, 2025. [Online]. Available: <https://zenodo.org/records/12805484>
- [52] U. Khairani, V. Mutiawani, and H. Ahmadian, “Pengaruh Tahapan Preprocessing Terhadap Model Indobert Dan Indobertweet Untuk Mendeteksi Emosi Pada Komentar Akun Berita Instagram,” *Jurnal Teknologi Informasi dan Ilmu Komputer*, vol. 11, no. 4, pp. 893–894, Aug. 2024, doi: 10.25126/jtiik.1148315.
- [53] A. Kumar, P. Makhija, and A. Gupta, “Noisy Text Data: Achilles’ Heel of BERT,” Mar. 2020, [Online]. Available: <http://arxiv.org/abs/2003.12932>
- [54] I. A. Rahma and L. H. Suadaa, “Penerapan Text Augmentation untuk Mengatasi Data yang Tidak Seimbang pada Klasifikasi Teks Berbahasa Indonesia,” *Jurnal Teknologi Informasi dan Ilmu Komputer*, vol. 10, no. 6, p. 1338, Dec. 2023, doi: 10.25126/jtiik.2023107325.
- [55] N. Rochmawati, H. B. Hidayati, Y. Yamasari, H. P. A. Tjahyaningtijas, W. Yustanti, and A. Prihanto, “Analisa Learning rate dan Batch size Pada Klasifikasi Covid Menggunakan Deep learning dengan Optimizer Adam,” *Journal Information Engineering and Educational Technology*, vol. 5, no. 2, pp. 46–47, 2021, doi: 10.26740/jieet.v5n2.p44-48.