DAFTAR PUSTAKA

[1] W. Rahman *et al.*, "BDWaste: A comprehensive image dataset of digestible and indigestible waste in Bangladesh," *Data Brief*, vol. 53, p. 110153, 2024, doi: 10.1016/j.dib.2024.110153.

[2] T. N. Al-Khoiriyah *et al.*, "Upaya Pengelolaan Sampah dengan Pemisahan Sampah di Lingkungan Fakultas Matematika danIlmu Pengetahuan Alam Universitas Negeri Semarang," *Jurnal Majemuk*, vol. 3, no. 2, pp. 318–328, 2024.

[3] U. K. Lilhore, S. Simaiya, S. Dalal, and R. Damaševičius, "A smart waste classification model using hybrid CNN-LSTM with transfer learning for sustainable environment," *Multimed. Tools Appl.*, vol. 83, no. 10, pp. 29505–29529, 2023, doi: 10.1007/s11042-023-16677-z.

[4] C. Huang, J. Wang, S. Wang, and Y. Zhang, "A review of deep learning in dentistry," *Neurocomputing*, vol. 554, no. April, p. 126629, 2023, doi: 10.1016/j.neucom.2023.126629.

[5] S. Loussaief and A. Abdelkrim, "Machine Learning framework for image classification," *Advances in Science, Technology and Engineering Systems*, vol. 3, no. 1, pp. 1–10, 2016, doi: 10.25046/aj030101.

[6] C. Huang, J. Wang, S. Wang, and Y. Zhang, "A review of deep learning in dentistry," *Neurocomputing*, vol. 554, no. April, p. 126629, 2023, doi: 10.1016/j.neucom.2023.126629.

[7] D. A. Forsyth and J. Ponce, *Computer Vision a Modern Approach*, Second. Prentice hall, 2011.

[8] R. Szeliski, *Computer Vision: Algorithms and Applications*. 2010. doi: 10.1002/eji.200526121.

[9] M. H. Guo *et al.*, "Attention mechanisms in computer vision: A survey," *Comput. Vis. Media (Beijing).*, vol. 8, no. 3, pp. 331–368, 2022, doi: 10.1007/s41095-022-0271-y.

[10] Y. Sun, Z. Sun, and W. Chen, "The evolution of object detection methods," *Eng. Appl. Artif. Intell.*, vol. 133, no. PE, p. 108458, 2024, doi: 10.1016/j.engappai.2024.108458.

[11] L. Chen, S. Li, Q. Bai, J. Yang, S. Jiang, and Y. Miao, "Review of Image Classification Algorithms Based on Graph Convolutional Networks," *Remote Sensor*, 2021, doi: https://doi.org/10.3390/rs13224712.

[12] X. Jiang, A. Hadid, Y. Pang, E. Granger, and X. Feng, *Deep learning in object detection and recognition*. 2019. doi: 10.1007/978-981-10-5152-4.

[13] R. Girshick, J. Donahue, T. Darrell, and J. Malik, "Rich feature hierarchies for accurate object detection and semantic segmentation," *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, pp. 580–587, 2014, doi: 10.1109/CVPR.2014.81.

[14] K. He, X. Zhang, S. Ren, and J. Sun, "Spatial pyramid pooling in deep convolutional networks for visual recognition," *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 8691 LNCS, no. PART 3, pp. 346–361, 2014, doi: 10.1007/978-3-319-10578-9_23.

[15] R. Girshick, "Fast R-CNN," *Proceedings of the IEEE International Conference on Computer Vision*, vol. 2015 Inter, pp. 1440–1448, 2015, doi: 10.1109/ICCV.2015.169.

[16] S. Ren, K. He, R. Girshick, and J. Sun, "Faster R-CNN: Towards Real-Time Object Detection with Region Proposal Networks," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 39, no. 6, pp. 1137–1149, 2017, doi: 10.1109/TPAMI.2016.2577031.

[17] X. Li, T. Lai, S. Wang, Q. Chen, C. Yang, and R. Chen, "Feature Pyramid Networks for Object Detection," *Proceedings of the IEEE International*

Conference on Computer Vision, pp. 1500–1504, 2017, doi: 10.1109/ISPA-BDCloud-SustainCom-SocialCom48970.2019.00217.

[18] J. Redmon, S. Divvala, R. Girshick, and A. Farhadi, "You only look once: Unified, real-time object detection," *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, vol. 2016-Decem, pp. 779–788, 2016, doi: 10.1109/CVPR.2016.91.

[19] W. Liu *et al.*, "SSD: Single shot multibox detector," *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 9905 LNCS, pp. 21–37, 2016, doi: 10.1007/978-3-319-46448-0_2.

[20] T. Y. Lin, P. Goyal, R. Girshick, K. He, and P. Dollar, "Focal Loss for Dense Object Detection," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 42, no. 2, pp. 318–327, 2020, doi: 10.1109/TPAMI.2018.2858826.

[21] C. Lyu *et al.*, "RTMDet: An Empirical Study of Designing Real-Time Object Detectors," pp. 63–65, 2022, [Online]. Available: http://arxiv.org/abs/2212.07784

[22] K. Han, Y. Wang, Q. Tian, J. Guo, C. Xu, and C. Xu, "GhostNet : More Features from Cheap Operations".

[23] Z. Ge, S. Liu, F. Wang, Z. Li, and J. Sun, "YOLOX: Exceeding YOLO Series in 2021," pp. 1–7, 2021, [Online]. Available: http://arxiv.org/abs/2107.08430

[24] A. Salari, A. Djavadifar, X. Liu, and H. Najjaran, "Object recognition datasets and challenges: A review," *Neurocomputing*, vol. 495, pp. 129–152, 2022, doi: 10.1016/j.neucom.2022.01.022.

[25] P. Kumar, R. Bhatnagar, K. Gaur, and A. Bhatnagar, "Classification of Imbalanced Data:Review of Methods and Applications," *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 1099, no. 1, p. 012077, 2021, doi: 10.1088/1757-899x/1099/1/012077.

[26] M. Tomaszewski and J. Osuchowski, “Effectiveness of Data Resampling in Mitigating Class Imbalance for Object Detection,” *CEUR Workshop Proc.*, vol. 3628, pp. 79–92, 2023.

[27] K. Oksuz, B. C. Cam, S. Kalkan, and E. Akbas, “Imbalance Problems in Object Detection: A Review,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 43, no. 10, pp. 3388–3415, 2021, doi: 10.1109/TPAMI.2020.2981890.

[28] P. Chen, Y. Liu, Y. Ren, B. Zhang, and Y. Zhao, “A Deep Learning-Based Solution to the Class Imbalance Problem in High-Resolution Land Cover Classification,” *Remote Sens. (Basel).*, vol. 17, no. 11, pp. 1–33, 2025, doi: 10.3390/rs17111845.

[29] A. Gupta, P. Dollar, and R. Girshick, “Lvis: A dataset for large vocabulary instance segmentation,” *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, vol. 2019-June, pp. 5351–5359, 2019, doi: 10.1109/CVPR.2019.00550.

[30] B. Yaman, T. Mahmud, and C.-H. Liu, “Instance-Aware Repeat Factor Sampling for Long-Tailed Object Detection,” 2023, [Online]. Available: http://arxiv.org/abs/2305.08069

[31] I. Nasir and G. A. Aziz Al-Talib, “Waste Classification Using Artificial Intelligence Techniques:Literature Review,” *Technium: Romanian Journal of Applied Sciences and Technology*, vol. 5, pp. 49–59, 2023, doi: 10.47577/technium.v5i.8345.

[32] A. Hingmire and U. Pujeri, “Advances in Garbage Detection and Classification: A Comprehensive Study of Computer Vision Algorithms,” *International Journal of Intelligent Systems and Applications in Engineering*, vol. 12, no. 1, pp. 767–777, 2024, [Online]. Available: https://www.scopus.com/inward/record.uri?eid=2-s2.0-85182487828&partnerID=40&md5=071f437f61ca960bd9dd1ef482599c13

[33] Y. Xiao, X. Wang, P. Zhang, F. Meng, and F. Shao, “Object detection based on faster r-cnn algorithm with skip pooling and fusion of contextual

information," *Sensors (Switzerland)*, vol. 20, no. 19, pp. 1–20, 2020, doi: 10.3390/s20195490.

[34] S. Liu *et al.*, "ERF-RTMDet: An Improved Small Object Detection Method in Remote Sensing Images," *Remote Sens. (Basel).*, vol. 15, no. 23, pp. 1–18, 2023, doi: 10.3390/rs15235575.

[35] W. Liu, H. Lu, H. Fu, and Z. Cao, "Learning to Upsample by Learning to Sample," *Proceedings of the IEEE International Conference on Computer Vision*, pp. 6004–6014, 2023, doi: 10.1109/ICCV51070.2023.00554.

[36] W. Li, K. Liu, L. Zhang, and F. Cheng, "Object detection based on an adaptive attention mechanism," *Sci. Rep.*, vol. 10, no. 1, pp. 1–13, 2020, doi: 10.1038/s41598-020-67529-x.

[37] D. Ouyang *et al.*, "Efficient Multi-Scale Attention Module with Cross-Spatial Learning," *ICASSP, IEEE International Conference on Acoustics, Speech and Signal Processing - Proceedings*, vol. 2023-June, 2023, doi: 10.1109/ICASSP49357.2023.10096516.

[38] S. Woo, J. Park, J. Lee, and I. S. Kweon, "Sanghyun_Woo_Convolutional_Block_Attention_ECCV_2018_paper.pdf ," *European Conference on Computer Vision (ECCV)*, 2018.

[39] M. Chao, C. Peng, L. Yun, C. Zhang, H. Wang, and Z. Chen, "A lightweight small object detection model for UAV images based on deep semantic integration," *Sci. Rep.*, vol. 15, no. 1, pp. 1–23, 2025, doi: 10.1038/s41598-025-16878-6.

[40] P. F. Proença and P. Simões, "TACO: Trash Annotations in Context for Litter Detection," 2020, [Online]. Available: http://arxiv.org/abs/2003.06975

[41] L. Z. Xian *et al.*, "Leveraging the Power of Object Detection Models in Identifying Litter for a Significant Reduction in Environmental Pollution," *2023 13th International Conference on Computer and Knowledge*

Engineering, ICCKE 2023, no. ICCKE, pp. 265–270, 2023, doi: 10.1109/ICCKE60553.2023.10326292.

[42] A. Z. Wajdi, P. Wibowo, and S. Sasaki, "YOLOv8 vs. YOLOv9: Evaluating Object Detection Algorithms for Marine Waste Recognition," *Digest of Technical Papers - IEEE International Conference on Consumer Electronics*, pp. 286–292, 2024, doi: 10.1109/ISCT62336.2024.10791223.

[43] S. Bianco, E. Gaviraghi, and R. Schettini, "Efficient Deep Learning Models for Litter Detection in the Wild," *8th IEEE International Forum on Research and Technologies for Society and Industry Innovation, RTSI 2024 - Proceeding*, pp. 601–606, 2024, doi: 10.1109/RTSI61910.2024.10761805.

[44] X. Zhang, Y. Zhuang, W. Wang, and W. Pedrycz, "Transfer boosting with synthetic instances for class imbalanced object recognition," *IEEE Trans. Cybern.*, vol. 48, no. 1, pp. 357–370, 2018, doi: 10.1109/TCYB.2016.2636370.

[45] G. E. A. P. A. Batista, R. C. Prati, and M. C. Monard, "A study of the behavior of several methods for balancing machine learning training data," *ACM SIGKDD Explorations Newsletter*, vol. 6, no. 1, pp. 20–29, 2004, doi: 10.1145/1007730.1007735.

[46] Y. Kim, Y. Lee, and M. Jeon, "Imbalanced image classification with complement cross entropy," *Pattern Recognit. Lett.*, vol. 151, pp. 33–40, 2021, doi: 10.1016/j.patrec.2021.07.017.

[47] H. Zhang *et al.*, "DS-YOLO: A dense small object detection algorithm based on inverted bottleneck and multi-scale fusion network," *Biomimetic Intelligence and Robotics*, vol. 4, no. 4, p. 100190, 2024, doi: 10.1016/j.birob.2024.100190.

[48] J. Chen and M. J. Er, "Dynamic YOLO for small underwater object detection," *Artif. Intell. Rev.*, vol. 57, no. 7, pp. 1–23, 2024, doi: 10.1007/s10462-024-10788-1.

[49] E. Pongrácz and V. J. Pohjola, "Re-defining waste, the concept of ownership and the role of waste management," *Resour. Conserv. Recycl.*, vol. 40, no. 2, pp. 141–153, 2004, doi: 10.1016/S0921-3449(03)00057-0.

[50] E. Pongrácz, P. S. Phillips, and R. L. Keiski, "Evolving the Theory of Waste Management: defining key concepts," *Waste Management and the Environment II*, pp. 477–478, 2004.

[51] Enri Damanhuri dan Tri Padmi, "Pengeloalaan Sampah," *Journal Teknik Lingkungan*, vol. 3, no. 2, p. 7, 2010.

[52] H. P. Putra and Y. Yuriandala, "Studi Pemanfaatan Sampah Plastik Menjadi Produk dan Jasa Kreatif," *Jurnal Sains &Teknologi Lingkungan*, vol. 2, no. 1, pp. 21–31, 2010, doi: 10.20885/jstl.vol2.iss1.art3.

[53] A. N. Sari, "Simbol Daur Ulang dan Jenis Plastik yang Wajib Anda Ketahui," *Kementerian Keuangan Republik Indonesia*, Nov. 2022. [Online]. Available: https://www.djkn.kemenkeu.go.id/kanwil-suluttenggomalut/baca-artikel/15612/Simbol-Daur-Ulang-dan-Jenis-Plastik-yang-Wajib-Anda-Ketahui.html

[54] "7 Simbol dan Jenis Plastik yang Perlu Kamu Ketahui," *Zero Waste Indonesia*. [Online]. Available: https://zerowaste.id/knowledge/simbol-dan-jenis-plastik/

[55] Y. Amit, P. Felzenszwalb, and R. Girshick, *Object Detection*. 2020. doi: 10.1007/978-3-030-03243-2_660-1.

[56] L. Vanneschi and S. Silva, "Artificial Neural Networks," in *Natural Computing Series*, 2023, pp. 161–204. doi: 10.1007/978-3-031-17922-8_7.

[57] L. V. Fausset, "Fundamentals of Neural Network: Architecture, Algorithm, and Application," *Prentice Hall*, vol. C–18, no. 6, p. 572, 1994, [Online]. Available: https://dl.matlabyar.com/siavash/Neural Network/Book/Fausett L.-Fundamentals of Neural Networks_ Architectures, Algorithms, and Applications (1994).pdf

[58] N. H. Farhat, *Photonic neural networks and learning machines*, vol. 7, no. 5. 2002. doi: 10.1109/64.163674.

[59] D. H. Hubel and T. N. Wiesel, "Receptive fields and functional architecture of monkey striate cortex," *J. Physiol.*, vol. 195, no. 1, pp. 215–243, 1968, doi: 10.1113/jphysiol.1968.sp008455.

[60] A. Ghosh, A. Sufian, F. Sultana, A. Chakrabarti, and D. De, *Fundamental concepts of convolutional neural network*, vol. 172, no. June. 2019. doi: 10.1007/978-3-030-32644-9_36.

[61] L. Alzubaidi *et al.*, *Review of deep learning: concepts, CNN architectures, challenges, applications, future directions*, vol. 8, no. 1. Springer International Publishing, 2021. doi: 10.1186/s40537-021-00444-8.

[62] M. M. Taye, "Theoretical Understanding of Convolutional Neural Network: Concepts, Architectures, Applications, Future Directions," *Computation*, vol. 11, no. 3, 2023, doi: 10.3390/computation11030052.

[63] W. Walz, *Machine Learning for Brain Disorders Series Editor*. 2023.

[64] Z. Zou, K. Chen, Z. Shi, Y. Guo, and J. Ye, "Object Detection in 20 Years: A Survey," *Proceedings of the IEEE*, vol. 111, no. 3, pp. 257–276, 2023, doi: 10.1109/JPROC.2023.3238524.

[65] S. R. Waheed, N. M. Suaib, M. S. Mohd Rahim, M. Mundher Adnan, and A. A. Salim, "Deep Learning Algorithms-based Object Detection and Localization Revisited," *J. Phys. Conf. Ser.*, vol. 1892, no. 1, 2021, doi: 10.1088/1742-6596/1892/1/012001.

[66] X. Li *et al.*, "Deep Learning Attention Mechanism in Medical Image Analysis: Basics and Beyonds," *International Journal of Network Dynamics and Intelligence*, pp. 93–116, 2023, doi: 10.53941/ijndi0201006.

[67] P. Tsirtsakis, G. Zacharis, G. S. Maraslidis, and G. F. Fragulis, "Deep learning for object recognition: A comprehensive review of models and algorithms," *International Journal of Cognitive Computing in Engineering*,

vol. 6, no. December 2024, pp. 298–312, 2025, doi: 10.1016/j.ijcce.2025.01.004.

[68] J. C. Caicedo and S. Lazebnik, "Active object localization with deep reinforcement learning," *Proceedings of the IEEE International Conference on Computer Vision*, vol. 2015 Inter, pp. 2488–2496, 2015, doi: 10.1109/ICCV.2015.286.

[69] Sunil and Gagandeep, "Study of Object Detection Methods and Applications on Digital Images," *IJSDR1905088 International Journal of Scientific Development and Research*, vol. 4, no. 5, pp. 491–497, 2019, [Online]. Available: www.ijsdr.org

[70] H. He and E. A. Garcia, "Learning from imbalanced data," *IEEE Trans. Knowl. Data Eng.*, vol. 21, no. 9, pp. 1263–1284, 2009, doi: 10.1109/TKDE.2008.239.

[71] M. Salmi, D. Atif, D. Oliva, A. Abraham, and S. Ventura, *Handling imbalanced medical datasets: review of a decade of research*, vol. 57, no. 10. Springer Netherlands, 2024. doi: 10.1007/s10462-024-10884-2.

[72] W. Albattah and R. U. Khan, "Impact of imbalanced features on large datasets," *Front. Big Data*, vol. 8, 2025, doi: 10.3389/fdata.2025.1455442.

[73] R. Padilla, S. L. Netto, and E. A. B. Silva, "A Survey on Performance Metrics for Object-Detection Algorithms," *International Conference on Systems, Signals, and Image Processing*, vol. 2020-July, pp. 237–242, 2020.

[74] D. Das, K. Deb, T. Sayeed, P. K. Dhar, and T. Shimamura, "Outdoor Trash Detection in Natural Environment Using a Deep Learning Model," *IEEE Access*, vol. 11, no. August, pp. 97549–97566, 2023, doi: 10.1109/ACCESS.2023.3313166.

[75] T. Y. Lin *et al.*, "Microsoft COCO: Common objects in context," *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, vol. 8693 LNCS, no. PART 5, pp. 740–755, 2014, doi: 10.1007/978-3-319-10602-1_48.

[76] M. Kisantal, Z. Wojna, J. Murawski, J. Naruniec, and K. Cho, "Augmentation for small object detection," vol. 2017, pp. 119–133, 2019, doi: 10.5121/csit.2019.91713.

[77] K. Chen *et al.*, "MMDetection: Open MMLab Detection Toolbox and Benchmark," 2019, [Online]. Available: http://arxiv.org/abs/1906.07155

[78] K. He, X. Zhang, S. Ren, and J. Sun, "Deep residual learning for image recognition," *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, vol. 2016-Decem, pp. 770–778, 2016, doi: 10.1109/CVPR.2016.90.

[79] H. Qiu, L. L. Custode, and G. Iacca, *Black-box adversarial attacks using evolution strategies*, vol. 1, no. 1. Association for Computing Machinery, 2021. doi: 10.1145/3449726.3463137.

[80] H. Rezatofighi, N. Tsoi, J. Gwak, A. Sadeghian, I. Reid, and S. Savarese, "Generalized intersection over union: A metric and a loss for bounding box regression," *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, vol. 2019-June, pp. 658–666, 2019, doi: 10.1109/CVPR.2019.00075.

[81] X. Li *et al.*, "Generalized focal loss: Learning qualified and distributed bounding boxes for dense object detection," *Adv. Neural Inf. Process. Syst.*, vol. 2020-Decem, pp. 1–14, 2020.